



# POWER RAIZER



## TCPWRAIZ

- Universal multi-angle cutting unit.
- Use in combination with **TC10RAIZOR**.
- Plunge cut to adjust the depth of the cut.
- Tilting movement
- Square or rectangular knock-out cuts.
- 90° and 180° for cutting or edge treatment.
- Can also perform 45° miter cut.
- Wet or dry cutting
- Use proper GFCI protection around water.

**Includes:** 5" blade and grinder.



## TCPWRAIZBU

- Power Raizer box unit only.
- Grinder not included.
- Multi-angle cutting unit box.
- Use with the Raizer cutting guide (**TC10RAIZOR**)
- Use proper GFCI protection around water.

**Includes:** 5" blade.



## TCPWRWF

- Water cooling and dust suppression device.
- For better finish and quicker cuts.
- Capacity of 8 liters (1.75 gals) with relief valve.
- Use proper GFCI protection around water.



## TCPWRDB

- Dust containment device.
- Use with the Power Raizer cutting unit.
- Reduces the amount of dust in the environment.
- Angle cutting 45° to 90°
- In combination with a proper respirator.



# POWER RAIZOR



	SIZE	ARBOR	CUTTING
<b>DBPROM5</b>	5"	$\frac{5}{8}$ "; 20mm; $\frac{7}{8}$ "	Wet and Dry



	RADIUS	BULLNOSE	CUTTING
<b>TCGLFPW6</b>	$\frac{1}{4}$ " (6mm)	half	Wet and Dry



	RADIUS	BULLNOSE	CUTTING
<b>TCGLFPW10</b>	$\frac{3}{8}$ " (10mm)	half	Wet and Dry

<b>TCGLFPW12</b>	$\frac{1}{2}$ " (12mm)	half	Wet and Dry
------------------	------------------------	------	-------------



	BEVEL	CUTTING
<b>TCGLFPW45S1</b>	Shaping wheel 45° profile	Wet and Dry



<b>TCGLFPW45S2</b>	Shaping wheel 45° profile	Wet and Dry
--------------------	---------------------------	-------------



# POWER RAIZOR

---




ANGLE CUTTING ON RAIL




RAIZOR RAIL



WET CUTTING



DUST COLLECTION



ANGLE



HORIZONTAL CUT